

```

<table border="0" width="550"><tr><td rowspan="1"> </td><td rowspan="1"> </td><td
rowspan="1"> </td><td scope="" style="width: 0px;" dir="" id="" align="" valign=""
lang=""> </td><td align="right"> <br /></td></tr><tr><td scope=""
style="width: 130px;" dir="" id="" rowspan="1" align="left" valign="top" lang=""> <br /></td><td scope="" style="" dir="" id=""
rowspan="1" align="left" valign="top" lang=""><table bordercolorlight="#99b7d1"
bordercolordark="#ffffff" bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0"
width="140"><tr><td>Section</td> <td>~b<br />mm</td> <td>~h<br />mm</td>
</tr> <tr> <td>AVX 10</td> <td>10</td> <td>8</td> </tr> <tr>
<td>AVX 13</td> <td>13</td> <td>10</td> </tr> <tr> <td>AVP
13</td> <td>13</td> <td>10</td></tr></table><p> Orders as per length La.
</p><p> </p></td><td rowspan="1"> </td><td> </td><td> </td></tr><tr><td scope="" style=""
dir="" id="" colspan="1" align="center" valign="top" lang=""><table bordercolorlight="#99b7d1"
bordercolordark="#ffffff" align="center" bgcolor="#ffffff" border="1" cellpadding="2"
cellspacing="0" width="80"><tr><td class="HEAD"><b>AVX 10</b></td> </tr> <tr
align="center"> <td class="HEAD" width="80"><b>La<br />mm</b></td> </tr>
<tr> <td>710 </td> </tr> <tr>
<td>713 </td> </tr> <tr> <td>750 </td> </tr>
<tr> <td>763 </td> </tr> <tr>
<td>800 </td> </tr> <tr> <td>825 </td> </tr>
<tr> <td>875 </td> </tr> <tr>
<td>913 </td> </tr> <tr> <td>937 </td> </tr>
<tr> <td>940 </td> </tr> <tr>
<td>944 </td> </tr> <tr> <td>965 </td>
</tr></table></td><td rowspan="1"> </td><td colspan="1" align="center" valign="top"
lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff" align="center"
bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0" width="80"><tr><td
class="HEAD"><b>AVX 10</b></td> </tr> <tr align="center"> <td class="HEAD"
width="80"><b>La<br />mm</b></td> </tr> <tr>
<td>1113</td> </tr> <tr> <td>1125</td>
</tr> <tr> <td>1150</td> </tr>
<tr> <td>1155</td> </tr> <tr>
<td>1160</td> </tr> <tr> <td>1175</td>
</tr> <tr> <td>1200</td> </tr>
</table></td></tr>

```

<tr><td>1240</td></tr><tr><td>1250</td></tr><tr><td>1340</td></tr><tr><td>1450</td></tr><tr><td>1510</td></tr><tr><td>1675</td></tr></table>	<tr><td>1225</td></tr><tr><td>1300</td></tr><tr><td>1400</td></tr><tr><td>1550</td></tr><tr><td>1735</td></tr></table>	<tr><td>1275</td></tr><tr><td>1385</td></tr><tr><td>1540</td></tr><tr><td>1735</td></tr></table>	<tr><td>1260</td></tr><tr><td>1375</td></tr><tr><td>1515</td></tr><tr><td>1735</td></tr></table>
--	--	--	--

scope="" style="" dir="" id="" colspan="1" align="center" valign="top" lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff" align="center" bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0" width="80"><tr><td class="HEAD"><b>AVX 13</b></td></tr><tr align="center"><td class="HEAD" width="80"><b>La mm</b></td></tr></thead>			
--	--	--	--

<tr><td>1225</td></tr><tr><td>1310</td></tr><tr><td>1385</td></tr><tr><td>1460</td></tr></table>	<tr><td>1200</td></tr><tr><td>1300</td></tr><tr><td>1375</td></tr><tr><td>1460</td></tr></table>	<tr><td>1275</td></tr><tr><td>1350</td></tr><tr><td>1450</td></tr></table>	<tr><td>1250</td></tr><tr><td>1325</td></tr><tr><td>1400</td></tr></table>
--	--	--	--

1525			1550
		1675	
	1750		

AVP 13			
La	mm	865 *)	1525 *)
		1750 *)	

\*) Special version for KAROSA buses.  
Service free version with sections AVX10, AVX 13.  
Belts are resistant to temperatures from -45 °C to +80 °C.  
Increased resistance to mineral oils.  
Increased resistance to abrasion.

---

Example of marking: **AVX 10 -1000La SF**  
AVX 10 - marking of section 1000 La - outside length  
SF - marking of service free version