

```

<table border="0" width="550"><tr><td rowspan="1"> </td><td scope="" style="width: 200px;"
dir="" id="" align="" valign="" lang=""> </td><td align="right"> <br /></td></tr><tr><td scope=""
style="width: 130px;" dir="" id="" rowspan="1" align="" valign="" lang=""> </td><td scope="" style=""
dir="" id="" align="left" valign="top" lang=""><table bordercolorlight="#99b7d1"
bordercolordark="#ffffff" bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0"
width="140"><tr><td>Section</td> <td>~b<br />mm</td> <td>~h<br />mm</td>
</tr> <tr> <td>Y</td> <td>6</td> <td>4</td> </tr> <tr>
<td>X8</td> <td>8</td> <td>5</td> </tr> </table>
</td><td scope="" style="" dir="" id="" align="left" valign="top"
lang=""> </td></tr><tr><td colspan="1"> </td><td colspan="1">Orders as per length Lw. <br
/></td><td colspan="1"> </td></tr><tr><td scope="" style="" dir="" id="" colspan="1"
align="center" valign="top" lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff"
align="center" bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0" width="160"><tr><td
colspan="2" class="HEAD"><b>Y</b></td> </tr> <tr align="center"> <td
class="HEAD" width="50%"><b>Lw<br />mm</b></td> <td class="HEAD"
width="50%"><b>Li<br />mm</b></td> </tr>
<tr>
<td>465* </td> <td>450 </td> </tr>
<td>490* </td> <td>475 </td> </tr>
<td>515* </td> <td>500 </td> </tr>
<td>545* </td> <td>530 </td> </tr>
<td>555* </td> <td>540 </td> </tr>
<td>575* </td> <td>560 </td> </tr>
<tr>
<td>595* </td> <td>580 </td> </tr>
<tr>
<td>615* </td> <td>600 </td> </tr>
<tr>
<td>645* </td> <td>630 </td> </tr>
<tr>
<td>675* </td> <td>660 </td> </tr>
<tr>
<td>715* </td> <td>700 </td> </tr>
<tr>
<td>815* </td> <td>800 </td> </tr>
<tr>
<td>825* </td> <td>810 </td> </tr>
<tr>
<td>865* </td> <td>850 </td> </tr>
<tr>
<td>870* </td> <td>855 </td></tr></table></td><td scope="" style="" dir="" id="" colspan="1" align="center"
valign="top" lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff" align="center"
bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0" width="160"><tr><td colspan="2"
class="HEAD"><b>X8</b></td> </tr> <tr align="center"> <td class="HEAD"
width="50%"><b>Lw<br />mm</b></td> <td class="HEAD" width="50%"><b>Li<br
/>mm</b></td> </tr>
<tr>
<td>450 </td> <td>469* </td> </tr>
<td>470 </td> <td>489* </td> </tr>
<td>475 </td> <td>494* </td> </tr>
<tr>
<td>519* </td> <td>500 </td> </tr>
<td>549* </td> <td>530 </td> </tr>
<td>564* </td> <td>545 </td> </tr>

```



		<td>1179</td>		<td>1160</td>
</tr>	<tr>		<td>1189* </td>	<td>1170</td>
	</tr>		<td>1199</td>	
<td>1180</td>	</tr>			<td>1219</td>
	<tr>	<td>1200</td>		
<td>1239</td>		<td>1220</td>		<tr>
			<td>1225</td>	</tr>
<tr>		<td>1244* </td>		
	<tr>	<td>1269</td>		<td>1250</td>
			<td>1314</td>	<td>1295</td>
</tr>	<tr>		<td>1319* </td>	<td>1300</td>
<td>1330</td>	</tr>		<td>1349</td>	
				<td>1364</td>
	<tr>	<td>1345</td>		
<td>1419</td>		<td>1400</td>		<tr>
			<td>1470</td>	</tr>
<tr>		<td>1489</td>		
	<tr>	<td>1519</td>		<td>1500</td>
			<td>1639</td>	<td>1620</td>
</tr>	<tr>		<td>1649</td>	<td>1630</td>
	<tr>		<td>1714</td>	
<td>1695</td>	</tr>			

</table></td></tr><tr align="center"><td colspan="3"> <b>\* Plain Version. Non-cogged.</b><br />Belts are resistant to temperatures from -45 ◊C to +80 ◊C.<br />Increased resistance to mineral oils.<br />Increased resistance to abrasion.</td></tr><tr><td colspan="3"><hr size="2" width="100%"></td></tr><tr align="center"><td colspan="3"> Example of marking: <b>X8 1019Lw 8x1000Li</b><br /><br />X8 - marking of section<br />Lw - pitch length<br />Li - inside length</td></tr><tr><td colspan="1"> </td><td colspan="1" align="center"> 1 <a href="index.php?option=com\_content&view=article&id=38&Itemid=36">2</a> <a href="index.php?option=com\_content&view=article&id=39&Itemid=36">3</a> </td><td colspan="1"> </td></tr></table>